

**CONSTRUCTION
CHEMICALS**

Hardening, Dust Proofing & Sealing Concrete Floors

FOR DRIVEWAYS, GARAGES, DRIVE CAR PARKS, WAREHOUSE AND FACTORY FLOORS.
CONCRETE HARDNER
PACKAGING

MIXING

APPLICATION

CURE & SEAL
PACKAGING

MIXING

APPLICATION

MATERIALS:

Concrete Hardener (one pack water based concrete floor hardener) and Cure & Seal (a chlorinated rubber curing and sealing compound) are available from Construction Chemicals.

SURFACE PREPARATION:


The surface to be treated must be clean and sound and be free of oil dusts, dirt, grease, water puddles and other contaminants. New concrete shall have cured for 14 days.

WORKMANSHIP:

Apply products in accordance with the manufacturers written instructions and good trade practice.

APPLICATION:

Apply two coats of Concrete Hardener at a 4-6 hour interval between coats. Let the final coat dry for 24 hours then wash the surface thoroughly with water and a broom. Let dry thoroughly (24-48 hours) and apply two coats of Cure & Seal, allowing 2 hours drying time between coats.


**CONSTRUCTION
CHEMICALS**

- **ADELAIDE** 467 - 469 SOUTH RD REGENCY PARK 5010 PH: (08) 8346 8013 FAX: (08) 8340 2052
- **BRISBANE** 45 COULSON ST WACOL 4076 PH: (07) 3271 2944 FAX: (07) 3271 3892
- **MELBOURNE** 11 GABRIELLE CT BAYSWATER NORTH 3153 PH: (03) 9761 4711 FAX: (03) 9761 4748
- **PERTH** 11 COLLIE ST WELSHPOOL 6106 PH: (08) 9356 9999 FAX: (08) 9356 9955
- **SYDNEY** 2/31-33 NEWTON RD WETHERILL PARK 2164 PH: (02) 9756 3533 FAX: (02) 9756 3534
- **AUCKLAND** 16 CARPENTER RD EAST TAMAKI PH: (09) 273 5444 FAX: 0800 266 236
- **KUALA LUMPUR** LOT 2 JALAN KECABI 33/2 ELITE INDUSTRIAL ESTATE OFF JALAN BUKIT KEMUNING 40000 SHAB ALAM PH: (603) 5122 2522 FAX: (603) 5122 2526

"The information contained in this technical publication is based on our current knowledge and experience and is provided as a guide only. In view of the many factors that may affect application it is the users sole responsibility to ensure suitability for a specific purpose."